

งานวิจัย เรื่อง Antiplasmodial dimeric chalcone derivatives from the roots of Uvaria siamensis มีบทความอ้างอิง 1 บทความ โดย published 7 Apr, 2023







Sphaerocoryne affinis fruit extract causes DNA damage leading to inhibited cell proliferation and activated apoptosis in cervical cancer cells

Nghia Le-Trung

Kyoto Institute of Technology

Tue Duong Minh

Kyoto Institute of Technology

Thao Dang Thi Phuong

University of Science, Vietnam National University Ho Chi Minh City

Kaeko Kamei (■ kame@kit.ac.jp)

Kyoto Institute of Technology

Research Article

Keywords: Anti-cancer, Apoptosis, Cervical cancer, DNA damage, HeLa cells, Sphaerocoryne affinis

Posted Date: April 7th, 2023

DOI: https://doi.org/10.21203/rs.3.rs-2723074/v1

License: © ① This work is licensed under a Creative Commons Attribution 4.0 International License.

Read Full License

- 11. Jung JH, Pummangura S, Chaichantipyuth C, Patarapanich C, Fanwick PE, Chang C-J, et al. New bioactive heptenes from melodorum fruticosum (annonaceae). Tetrahedron. 1990;46(15):5043–54.
- 12. Chaichantipyuth C, Tiyaworanan S, Mekaroonreung S, Ngamrojnavanich N, Roengsumran S, Puthong S, et al. Oxidized heptenes from flowers of Melodorum fruticosum. Phytochemistry. 2001;58(8):1311–5.
- 13. Nghi NBT, Uyen TT, Anh HM, Linh DM, Thao DTP. Rumdul (*Sphaerocoryne affinis*) Antioxidant Activity and Its Potential for Parkinson's Disease Treatment. Oxidative Med Cell Longev. 2022;2022:8918966.
- 14. Salae A-W, Chairerk O, Sukkoet P, Chairat T, Prawat U, Tuntiwachwuttikul P, et al. Antiplasmodial dimeric chalcone derivatives from the roots of Uvaria siamensis. Phytochemistry. 2017;135:135–43.
- 15. Amatori S, Persico G, Fanelli M. Real-time quantitative PCR array to study drug-induced changes of gene expression in tumor cell lines. J Cancer Metastasis Treat. 2017;3:90–9.
- 16. Phan RT, Dalla-Favera R. The BCL6 proto-oncogene suppresses p53 expression in germinal-centre B cells. Nature. 2004;432(7017):635–9.
- 17. Porter AG, Jänicke RU. Emerging roles of caspase-3 in apoptosis. Cell Death Differ. 1999;6(2):99–104
- 18. Yadav P, Yadav R, Jain S, Vaidya A. Caspase-3: A primary target for natural and synthetic compounds for cancer therapy. Chem Biol Drug Des. 2021;98(1):144–65.
- 19. Hongnak S, Jongaramruong J, Khumkratok S, Siriphong P, Tip-pyang S. Chemical constituents and derivatization of melodorinol from the roots of Melodorum fruticosum. Nat Prod Commun. 2015;10(4):633–6.
- 20. Weerapreeyakul N, Nonpunya A, Barusrux S, Thitimetharoch T, Sripanidkulchai B. Evaluation of the anticancer potential of six herbs against a hepatoma cell line. Chin Med. 2012;7(1):15.
- 21. Indrayanto G, Putra GS, Suhud F. Chapter Six Validation of in-vitro bioassay methods: Application in herbal drug research. In: Al-Majed AA, editor. Profiles of Drug Substances, Excipients and Related Methodology. Volume 46. Academic Press; 2021. pp. 273–307.
- 22. Saraste A, Pulkki K. Morphologic and biochemical hallmarks of apoptosis. Cardiovasc Res. 2000;45(3):528–37.
- 23. Pouliliou S, Koukourakis MI. Gamma histone 2AX (γ-H2AX) as a predictive tool in radiation oncology. Biomarkers. 2014;19(3):167–80.
- 24. Appella E, Anderson CW. Post-translational modifications and activation of p53 by genotoxic stresses. Eur J Biochem. 2001;268(10):2764–72.
- 25. Lakin ND, Jackson SP. Regulation of p53 in response to DNA damage. Oncogene. 1999;18(53):7644–55.
- 26. Harris SL, Levine AJ. The p53 pathway: positive and negative feedback loops. Oncogene. 2005;24(17):2899–908.
- 27. Ljungman M, Zhang F, Chen F, Rainbow AJ, McKay BC. Inhibition of RNA polymerase II as a trigger for the p53 response. Oncogene. 1999;18(3):583–92.