



มีการอ้างอิงบทความวิจัย “Collagenase and Tyrosinase Inhibitory Activities and Stability of Facial Cream Formulation Containing Cashew Leaf Extract” ตั้งแต่ 1 เมษายน – 30 กันยายน 2567 จำนวน 1 บทความ



[https://www.cell.com/heliyon/fulltext/S2405-8440\(24\)10696-2?_returnURL=https%3A%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS2405844024106962%3Fshowall%3Dtrue](https://www.cell.com/heliyon/fulltext/S2405-8440(24)10696-2?_returnURL=https%3A%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS2405844024106962%3Fshowall%3Dtrue)



50 Heliyon

Open access

SubmitLog inRegister

Download PDFCiteShareSet AlertGet RightsReprints

Previous articleNext article

CrossrefPubMedGoogle Scholar

ADVERTISEMENT

Show Outline

38. Mungmai, L. · Kanokwattananon, C. · Thakang, S. ...

Physicochemical properties, antioxidant and anti-tyrosinase activities of Durio zibethinus Murray and value added for cosmetic product formulation

Cosmetics. 2023; 10:87

CrossrefScopus (4)Google Scholar

39. Srisuksomwong, P. · Kaenhin, L. · Mungmai, L.

Collagenase and tyrosinase inhibitory activities and stability of facial cream formulation containing cashew leaf extract

Cosmetics. 2023; 10:17

CrossrefScopus (11)Google Scholar

40. Mov, R.

Comparative efficacy and safety of deoxyarbutin, a new tyrosinase-inhibiting agent

J. Cosmet. Sci. 2006; 57:291-308

PubMedGoogle Scholar

41. Wang, W. · Gao, Y. · Wang, W. ...

Kojic acid showed consistent inhibitory activity on tyrosinase from mushroom and in cultured B16F10 cells compared with arbutins

Antioxidants. 2022; 11:502

CrossrefScopus (28)PubMedGoogle Scholar