


A new anthraquinone from *Morinda elliptica* Ridl.

Loonjang K., Duangjinda D., Phongpaichit S., Sawangjaroen N., **Rattanaburi S.**, Mahabusarakam W. (2015)

Nat Prod Res. 29(19): pp. 833-838.

มีการอ้างอิงในช่วง 1 ต.ค. 68- 28 ก.พ. 69 จำนวน 1 บทความ



Natural Product Research
Formerly Natural Product Letters





ISSN: 1478-6419 (Print) 1478-6427 (Online) Journal homepage: www.tandfonline.com/journals/gnpl20

Chemical constituents from the roots of *Morinda talmyi* (Rubiaceae)

Phornnapa Saentao , Florian T. Schevenels , Wasan Seemakram , Sophon Boonlue , Kanyarat Thithuan , Charupong Saengboonmee & Ratsami Lekphrom


To cite this article: Phornnapa Saentao , Florian T. Schevenels , Wasan Seemakram , Sophon Boonlue , Kanyarat Thithuan , Charupong Saengboonmee & Ratsami Lekphrom (21 Nov 2025): Chemical constituents from the roots of *Morinda talmyi* (Rubiaceae), Natural Product Research, DOI: [10.1080/14786419.2025.2588326](https://doi.org/10.1080/14786419.2025.2588326)



To link to this article: <https://doi.org/10.1080/14786419.2025.2588326>

 View supplementary material 


 Published online: 21 Nov 2025.

 Submit your article to this journal 

 Article views: 90

 View related articles 

 View Crossmark data 

 Citing articles: 1 View citing articles 

References

- Chan H-H, Li C-Y, Damu AG, Wu T-S. 2005. Anthraquinones from *Ophiorrhiza hayatana* OHWI. Chem Pharm Bull. 53(10):1232–1235. <https://doi.org/10.1248/cpb.53.1232>
- Chantaranothai P. 2019. A new combination and typifications in *Morinda* (Rubiaceae) for the Flora of Thailand. Thai For Bull. 47(2):184–186. <https://doi.org/10.20531/tfb.2019.47.2.08>
- Chee CW et al. 2022. Morindone from *Morinda citrifolia* as a potential antiproliferative agent against colorectal cancer cell lines. PLOS One. 17(7):e0270970. <https://doi.org/10.1371/journal.pone.0270970>
- Cimanga K et al. 1995. Flavonoid O-glycosides from the leaves of *Morinda morindoides*. Phytochemistry. 38(5):1301–1303. [https://doi.org/10.1016/0031-9422\(94\)00784-Q](https://doi.org/10.1016/0031-9422(94)00784-Q)
- Cimanga K et al. 2003. Complement-inhibiting iridoids from *Morinda morindoides*. J Nat Prod. 66(1):97–102. <https://doi.org/10.1021/np020215h>
- Davidse G, Sousa Sánchez M, Knapp S, Chiang Cabrera F. 2012. Rubiaceae to Verbenaceae. In: Flora Mesoam. Editors: Gerrit Davidse, Mario S. Sousa, Sandra Knapp, Fernando Chiang, and Carmen Ulloa Ulloa. Missouri Botanical Garden Press. p 1–533.
- Inoue K, Nayeshiro H, Inouet H, Zenk M. 1981. Anthraquinones in cell suspension cultures of *Morinda citrifolia*. Phytochemistry. 20(7):1693–1700. [https://doi.org/10.1016/S0031-9422\(00\)98557-1](https://doi.org/10.1016/S0031-9422(00)98557-1)
- Itokawa H, Mihara K, Takeya K. 1983. Studies on a novel anthraquinone and its glycosides isolated from *Rubia cordifolia* and *R. akane*. Chem Pharm Bull. 31(7):2353–2358. <https://doi.org/10.1248/cpb.31.2353>
- Kamiya K, Hamabe W, Tokuyama S, Satake T. 2009. New anthraquinone glycosides from the roots of *Morinda citrifolia*. Fitoterapia. 80(3):196–199. <https://doi.org/10.1016/j.fitote.2009.01.014>
- Kamiya K et al. 2010. Inhibitory effect of anthraquinones isolated from the noni (*Morinda citrifolia*) root on animal A-, B-, and Y-families of DNA polymerases and human cancer cell proliferation. Food Chem. 118(3):725–730. <https://doi.org/10.1016/j.foodchem.2009.05.053>
- Kanchanapoom T, Kasai R, Yamasaki K. 2002. Iridoid and phenolic glycosides from *Morinda coreia*. Phytochemistry. 59(5):551–556. [https://doi.org/10.1016/S0031-9422\(01\)00426-5](https://doi.org/10.1016/S0031-9422(01)00426-5)
- Lekphrom R, Saentao P, Seemakram W, Boonlue S, Schevenels FT. 2025. Acronyculatin S, a polyphenolic isoprenylated acetophenone benzofuran with antibacterial properties from the flowers of *Acronychia pedunculata*. Nat Prod Res. :1–6. <https://doi.org/10.1080/14786419.2025.2477221>
- Lin CF, Ni CL, Huang YL, Sheu SJ, Chen CC. 2007. Lignans and anthraquinones from the fruits of *Morinda citrifolia*. Nat Prod Res. 21(13):1199–1204. <https://doi.org/10.1080/14786410601132451>
- Liu W-J et al. 2018. A new pair of enantiomeric lignans from the fruits of *Morinda citrifolia* and their absolute configuration. Nat Prod Res. 32(8):933–938. <https://doi.org/10.1080/14786419.2017.1371163>
- Loonjang K et al. 2015. A new anthraquinone from *Morinda elliptica* Ridl. Nat Prod Res. 29(19):1833–1838. <https://doi.org/10.1080/14786419.2015.1009062>
- Phuphat M, Karaket P, Khammonkol K, Jirakorn S. 2018. Pa Bung Pa Tam in Northeastern Thailand. Office of the Forest Herbarium, Department of National Parks, Wildlife and Plant Conservation.
- Ponsuwan K et al. 2024. Passifetilactones A–E, fatty acid lactones from the fruit and flowers of *Passiflora foetida* with cytotoxic activity. J Nat Prod. 87(6):1652–1659. <https://doi.org/10.1021/acs.jnatprod.4c00463>
- Rath G, Ndonzao M, Hostettmann K. 1995. Antifungal anthraquinones from *Morinda lucida*. Int J Pharmacogn. 33(2):107–114. <https://doi.org/10.3109/13880209509055208>
- Saentao P et al. 2024. Curculigosides J–K and curcorchidihydrobenzofuran A, a dihydrobenzofuran with anti-proliferative properties from *Curculigo orchioides*. Nat Prod Res. 1–13. <https://doi.org/10.1080/14786419.2024.2426064>